

Energy and Resource efficiency (ERE) app

Deliverable D.T1.3.3

Version 1 102018

Authors: Maria-Anna Segreto Mario Tarantini







Table of contents

1. Aim of the document	2
2. Web toolkit	2
2.1. ERE app	2
2.2. Financial app	3
2.3. Database of best practices	4
3. Other toolkit sections	5





1. Aim of the document

The aim of this report is to summarize the characteristics of the FEEDSCHOOLS web toolkit and in particular pf the ERE APP tool and its functions. The tools have been designed for a non-expert user with which knows basic characteristics of the school building. Furthermore, the additional sections of the web tool will be listed underlining which documents can be found in it.

2. Web toolkit

The FEEDSCHOOLS project toolkit can be accessed at the link www.feedschools.eu and consists of 2 apps (1 ERE app for energy efficiency and environmental evaluation and 1 for financing models) and a database of best practices.



2.1. ERE app

The aim of ERE app is to support a non-expert user to conduct a simplified audit on an existing school building and evaluate different improvement options for the building. ERE app allows to estimate the energy and cost savings as well as the CO^2 emissions reductions derived from the energy savings. The ERE APP consists of 2 separate modules. The first module allows, through the insertion of a few specific data of the building (dimensions, electric and thermal consumption and location), to make a simplified energy analysis of the current situation. The amount of CO_2 emitted in the as built condition is also obtained.

The second module gives the possibility to choose different energy improvement solutions both for the envelope and for the systems. Energy improvement actions using renewable energy sources are included (photovoltaic and solar thermal). By indicating the surfaces for wall or windows or roof or the yields of



н



the new systems, the investment costs needed for the proposed improvement are also obtained. After choosing the best solutions, economic and energy savings are estimated, as well as the reduction of CO^2 emissions due to the fact that less fossil fuels are burned to obtain thermal or electric energy.

School nam	School name *			School grade		
Municipality	/		Ad	dress		
Degree Days	s *		Tir	ne normalization fa	ctor *	
Heating con	sumption (av	g.) *	Ele	ectricity consumption	on (avg.)*	
Selecting or percentage)	ne or more imp of the selecte or more renova	provements, ye ed improvement ation options	ou will get the estim nt on the total saving	ated energy and CO gs.	2 savings, and the impact	
Selecting or percentage) Select one of $U_{old} = t$ $U_{new} =$ A = toti% Control	ne or more imp of the selecte or more renove ransmittand transmittar al area of th tribution = c	provements, yo ed improvement ation options ation options ations	ou will get the estim nt on the total saving ment before the r ement after the re offected by the ren of the single imp	ated energy and CO gs. enovation enovation novation rovement to the	2 savings, and the impact	
Selecting or percentage) Select one of $U_{old} = t$ $U_{new} =$ A = tot % Cont Elements	ne or more imp of the selecte or more renova transmittand transmittan al area of th tribution = c U _{otd} [W/m ² K]	provements, ya ed improvement ation options are of the eler acce of the eler the element a contribution Unew [W/m²K]	ou will get the estim nt on the total saving ment before the r ement after the ra offected by the rei of the single imp Area [m ²]	ated energy and CO gs. enovation novation rovement to the Energy Saving [kWh]	2 savings, and the impact total energy saving % Cost Contribution	
Selecting or percentage) Select one of $U_{old} = t$ $U_{new} =$ A = tot % Cont Elements	ne or more imp of the selecte or more renow transmittan al area of th tribution = o U _{old} [W/m²K] single gla	provements, ya ation options ate of the eler ace of the eler ace of the eler ace othe eler acontribution Unew [W/m²K] LE doubl	ou will get the estim nt on the total saving ment before the re ement after the re offected by the rea of the single imp Area [m ²]	ated energy and CO gs. enovation novation rovement to the Energy Saving [kWh]	² savings, and the impact total energy saving % Cost Contribution	
Selecting or percentage) Select one of Unew = A = tot % Cont Elements	ne or more imp of the selecte or more renova transmittand transmittan al area of th tribution = c U _{old} [W/m²K] single gla Bricks ≈ c	provements, ya ation options ation options the of the element of contribution Unew [W/m²K] LE doubl Concrete	ou will get the estim nt on the total saving ment before the re offected by the rea of the single imp Area [m ²]	ated energy and CO gs. enovation novation rovement to the Energy Saving [kWh]	2 savings, and the impact total energy saving % Cost Contribution	
Selecting or percentage) Select one of U _{old} = t U _{new} = A = tot % Cont Elements Glazing Roof	e or more imp of the selecte or more renova transmittand transmittand al area of th tribution = c U _{old} [W/m²K] single gla Bricks < c Solid ma	provements, yu ation options ate of the element ace of the element of contribution Unew [W/m²K] LE doubl Concrete Bricks wa	ou will get the estim nt on the total saving ment before the re affected by the rei of the single imp Area [m ²]	ated energy and CO gs. enovation novation provement to the Energy Saving [kWh]	2 savings, and the impact total energy saving % Cost Contribution	

2.2. Financial app

Financial app will allow to make an economic analysis calculating the main financial indicators of the proposed action such as NPV of the intervention and the internal rates of return. The app, using the data of the first two modules, activates a financial calculation that returns one or more possibilities of access to financial benefits. This analysis allows the user to understand if, from a financial point of view, it is useful to invest in the renovation.





2.3. Database of best practices

Database of best practices is a collection of documented best practices adopted in school buildings of the partner area that can be used as working examples.

HOME TOOLS MENU - BEST PRACTICES DOCUMENTS -

BEST PRACTICES

		econdary × -			
COUNTRY	NAME	GRADE	SAVINGS		LINK
+ Italy	UDINE BELLAVITIS SECONDARY SCHOOL	Secondary School	Energy saving kWh/year: 8.120 Money saving €/year: 1865		PDF
+ Italy	UDINE G. ELLERO SECONDARY SCHOOL	Secondary School	Energy saving kWh/year: 283.021 Money saving €/year: 26.205		PDF
+ Austria	Secondary School Langenzersdorf	Secondary School	Energy data calculated according to passive house standard tool PHPP after renovation heating demand (HWB): 14.0 kWh / m ² net floor spacea according to PHPP Primary energy demand (PEB): 56.0 kWh / m ² a		PDF
+ Austria	Secondary School Bad Eisenkappel	Secondary School	Heating requirem Heating requirem Specific heat load 56.8 W /m ² with a After: 109 kW, equ gross floor area of 117 t / a95%	ent previously: 125.1 kWh / (m²a) ents later: 23.4 kWh / (m²a) Before: 283 kW, equivalent to gross floor area of 4,995 m² ivalent to 22.5 W /m² with a f 4.828 m² Expected CO2 savings:	PDF
+ Austria	Agricultural Training Center Salzkammergut	Secondary School	heating demand of heating requirement according to PHPF	lecreased 1.200.000 kWh ent: 14.8 kWh / (m2a) calculated ? (net floor space)	PDF
+ Austria	Secondary School Schwanenstadt	Secondary School - Technical School	space heating: sav	vings of 400,000 kWh	PDF





3. Other toolkit sections

The toolkit also includes some sections with documents and useful references for the user:



In the section documents it is possible to find:

- a section with the energy standards and norms for all country partners and especially specific rules for school buildings.
- a section where it is possible to download the EREAPP user manual
- sections in which are included different definitions of energies, fuels and a bibliographic section is included with interesting references for those who want to learn about the subject of the project